

ELBZ7.E365821 - CORD SETS AND POWER-SUPPLY CORDS CERTIFIED FOR CANADA

Cord Sets and Power-supply Cords Certified for Canada

See General Information for Cord Sets and Power-supply Cords Certified for Canada

DONGGUAN E-JUN WIRE CO LTD (CHINA)

E365821

3F 37 Longyaner Rd
 Longyan Community
 Humen Town
 Dongguan, Guangdong 523300 CHINA

Power-supply cords

Cat. No.	ANSI/NEMA WD6 Config	Cord AWG	Cord Type	Electrical Rating Amps V
EJ-301	1-15P	18/2	SPT-1, SPT-2, SPT-2W, NISPT-1, NISPT-2, SVT, SJT, SJTW, SJTOW, SJ, SJO, SJOW, HPN	10/125
		16/2	SPT-2, HPN	13/125
EJ-302	5-15P	18/3	SPT-2, SVT, SVT(Shielded),, SJT,, SJT(Shielded), SJTW, SJTW(Shielded), HPN, SJTO, SJTOW, SJTOOW, ST, STW, STO, STOW, SJ, SJO, SJOW, SJOOW	10/125
		17/3	SVT, SVT(Shielded)	12/125
		16/3	SPT-2, SVT, SVT(Shielded), SJT, SJT(Shielded), SJTW, SJTW(Shielded), HPN, SJTO, SJTOW, SJTOOW, ST, STW, STO, STOW, SJ, SJO, SJOW, SJOOW	13/125
		14/3	SJT, SJT(Shielded), SJTW, SJTW(Shielded), SJTO, SJTOW, SJTOOW, ST, STW, STO, STOW, SJ, SJO, SJOW, SJOOW	15/125
		12/3	SJT, SJT(Shielded), SJTW, SJTW(Shielded), SJTO, SJTOW, SJTOOW, ST, STW, STO, STOW, SJ, SJO, SJOW, SJOOW	15/125
		10/3	SJT, SJT(Shielded), SJTW, SJTW(Shielded), SJTO, SJTOW, SJTOOW, ST, STW, STO, STOW, SJ, SJO, SJOW, SJOOW	15/125
EJ-6005	5-15P	18/3	SPT-2, SVT, SJT, SJTW, HPN	10/125
		17/3	SVT	12/125
		16/3	SPT-2, SJT, SJTW, HPN	13/125
		14/3	SJT, SJTW	15/125
EJ-308	1-15P	18/2	SPT-1, SPT-2, SPT-2W, NISPT-1, NISPT-2, SVT, SVTO, SJT, SJTW, SJTO, SJTOW	10/125
		17/2	SVT, SVTO	12/125
		16/2	SPT-2, SPT-2W, NISPT-2, SVT, SVTO, SJT, SJTW, SJTO, SJTOW	13/125

EJ-201	5-15P	18/3	SPT-1, SPT-2, SPT-3, SVT, SVTO, SJT, SJTW, SJTO, SJTOW, SJTOOW, SJ, SJO, SJOW, SJOOW	10/125
		16/3	SPT-2, SPT-3, SVT, SVTO, SJT, SJTW, SJTO, SJTOW, SJTOOW, SJ, SJO, SJOW, SJOOW	13/125
		14/3	SPT-3, SJT, SJTW, SJTO, SJTOW, SJTOOW, SJ, SJO, SJOW, SJOOW	15/125
EJ-520	5-20P	18/3	SVT, SVT(Shielded), SVTO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJT(Shielded), SJ, SJO, SJOW, SJOOW	10/125
		16/3	SVT, SVT(Shielded), SVTO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJT(Shielded), SJ, SJO, SJOW, SJOOW	13/125
		14/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJT(Shielded), SJ, SJO, SJOW, SJOOW	18/125
		12/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	20/125
EJ-615	6-15P	18/3	SVT, SVT(Shielded), SVTO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJT(Shielded), SJ, SJO, SJOW, SJOOW	10/250
		16/3	SVT, SVT(Shielded), SVTO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJT(Shielded), SJ, SJO, SJOW, SJOOW	13/250
		14/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJT(Shielded), SJ, SJO, SJOW, SJOOW	15/250
		12/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	15/250
EJ-620	6-20P	18/3	SVT, SVT(Shielded), SVTO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJT(Shielded), SJ, SJO, SJOW, SJOOW	10/250
		16/3	SVT, SVT(Shielded), SVTO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJT(Shielded), SJ, SJO, SJOW, SJOOW	13/250
		14/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJT(Shielded), SJ, SJO, SJOW, SJOOW	18/250
		12/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	20/250
EJ-309	1-15P	18/2	SPT-1, SPT-1W, SPT-2, SPT-2W, NISPT-1, SVT, SJT, SJTW, SJTOW	10/125
		16/2	SPT-2, SPT-2W, SVT, SJT, SJTW, SJTOW	13/125

Special-use cord sets

Cat. No.	IEC 320 Config	Cord AWG	Cord Type	Electrical
				Rating Amps V
EJ-303	C13	18/3	SPT-2, SVT, SJT	10/125/250
		17/3	SVT	10/125/250
		16/3	SPT-2, SJT	13/125/250
		14/3	SJT	15/125/250
EJ-300	C7	18/2	SPT-1, SPT-2, SPT-2W, NISPT-1, NISPT-2, HPN	10/125
EJ-305	C5	18/3	SPT-2, HPN, SVT, SJT, SJTW	10/125

		17/3	SVT	10/125
EJ-303L	C13	18/3	SPT-2, SVT, SVT (Shielded), SVTO, SJT, SJT (Shielded), SJTW, SJTOW	10/125/250
		17/3	SVT, SVT (Shielded), SVTO	10/125/250
		16/3	SPT-2, SVT, SVT (Shielded), SVTO, SJT, SJT (Shielded), SJTW, SJTOW	13/125/250
		14/3	SJT, SJT (Shielded), SJTW, SJTOW	15/125/250
EJ-306	C14	18/3	SVT, SJT, SJTW, SJTOW, SJTOOW, SJ, SJO, SJOO, SJOW, SJOOW	10/125/250
		17/3	SVT	10/125/250
		16/3	SJT, SJTW, SJTOW, SJTOOW, SJ, SJO, SJOO, SJOW, SJOOW	13/125/250
		14/3	SJT, SJTW, SJTOW, SJTOOW, SJ, SJO, SJOO, SJOW, SJOOW	15/125/250
EJ-307	C7	18/2	SPT-1, SPT-1W, SPT-2, SPT-2W, NISPT-1, NISPT-2, HPN	10/125/250
		16/2	SPT-2, SPT-2W, NISPT-2, HPN	10/125/250
EJ-310	C7	18/2	SPT-1, SPT-2, SPT-2W, NISPT-1, NISPT-2, HPN	10/125
EJ-311(a)	C15	18/3	SV, SJ, SJOW, SJOOW, SVT, SVT-B, SJT, SJT-B, SJTW, SJTW-B, SJTOW, SJTOOW	10/125/250
		16/3	SJ, SJOW, SJOOW, SJT, SJT-B, SJTW, SJTW-B, SJTOW, SJTOOW	13/125/250
		14/3	SJ, SJOW, SJOOW, SJT, SJT-B, SJTW, SJTW-B, SJTOW, SJTOOW	15/125/250
EJ-304(a)	C8	18/2	SVT, SVTO, SPT-1, SPT-1W, SPT-2, SPT-2W, NISPT-1, NISPT-2	7/125, 2.5/250
		16/2	SVT, SVTO, SPT-2, SPT-2W	7/125, 2.5/250

(a) indicates the fitting complies with CSA C22.2 No. 60320-1-11.

General-use extension cord set

Cat. No.	ANSI/NEMA WD6 Config	Cord AWG	Cord Type	Electrical Rating Amps V
EJ-302S	5-15R	16/3	SJT, SJTW, ST, STW, STOW, STOOW	13/125
		14/3	SJT, SJTW, ST, STW, STOW, STOOW	15/125
EJ-15R	1-15R	16/2	SPT-2, SPT-2W, NISPT-2, SVT, SVTO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	13/125
EJ-520R	5-20R	16/3	SVT, SVT(Shielded), SVTO, SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJT(Shielded), SJ, SJO, SJOW, SJOOW	13/125
		14/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW, SJT(Shielded), SJ, SJO, SJOW, SJOOW	18/125
		12/3	SJT, SJTW, SJTO, SJTOW, SJTOO, SJTOOW	20/125

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"